EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	17514	guidewire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L2	1848	(606/200).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 07:51
L3	10273	pull adj wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L4	25150	core adj wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L5	389	L2 and (L4 or L3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L6	15	(US-4719924-$ or US-5002560-$ or US-6355051-$ or US-6542781-$ or US-6579302-$ or US-6656203-$ or US-6706055-$ or US-6866677-$ or US-5972019-$ or US-6383205-$ or US-6558401-$ or US-6635068-$).did. or (EP-1344502-$ or GB-2397530-$ or EP-1524005-$).did.	USPAT; EPO	OR	ON	2007/12/31 07:51
L7	1432234	hollow or lumen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51

L8	9127	L1 with L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L9	979	L4 and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L10	178	L1 with L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L11	1127	L9 or L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L12	450	L11 and (L1 with (bend or curv$4 or steer$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L13	670	L1 with L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L14	670	L4 and L13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L15	10273	pull adj wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51

EAST Search History

L16	25150	core adj wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L17	1848	(606/200).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 07:51
L18	389	L17 and (L16 or L15)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L19	17514	guidewire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L20	670	L19 with L16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L21	670	L16 and L20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L22	15	(US-6355051-$ or US-6383205-$ or US-6542781-$ or US-6866677-$ or US-6579302-$ or US-5972019-$ or US-4719924-$ or US-6635068-$ or US-6706055-$ or US-6656203-$ or US-5002560-$ or US-6558401-$).did. or (EP-1524005-$ or GB-2397530-$ or EP-1344502-$).did.	USPAT; EPO	OR	ON	2007/12/31 07:51
L23	1432234	hollow or lumen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51

EAST Search History

L24	9127	L19 with L23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L25	979	L16 and L24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L26	703652	filter or occlusive or occluder	USPAT; EPO	OR	ON	2007/12/31 07:51
L27	424	L19 with L26	USPAT; EPO	OR	ON	2007/12/31 07:51
L28	587	L25 or L21	USPAT; EPO	OR	ON	2007/12/31 07:51
L29	91	L28 and L27	USPAT; EPO	OR	ON	2007/12/31 07:51
L30	178	L19 with L15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L31	1127	L25 or L30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L32	450	L31 and (L19 with (bend or curv$4 or steer$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L33	920	L28 or L27	USPAT; EPO	OR	ON	2007/12/31 07:51
L34	15	(US-4719924-$ or US-5002560-$ or US-6355051-$ or US-6542781-$ or US-6579302-$ or US-6656203-$ or US-6706055-$ or US-6866677-$ or US-5972019-$ or US-6383205-$ or US-6558401-$ or US-6635068-$).did. or (EP-1344502-$ or GB-2397530-$ or EP-1524005-$).did.	USPAT; EPO	OR	ON	2007/12/31 07:51

L35	25150	core adj wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L36	541	L35 with (PTFE or lubricious or coated)	USPAT; EPO	OR	ON	2007/12/31 07:51
L37	10273	pull adj wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L38	9819	L35 or L37	USPAT; EPO	OR	ON	2007/12/31 07:51
L39	698513	filter or occluder	USPAT; EPO	OR	ON	2007/12/31 07:51
L40	3519	wire with (PTFE or teflon)	USPAT; EPO	OR	ON	2007/12/31 07:51
L41	352	L38 and L40	USPAT; EPO	OR	ON	2007/12/31 07:51
L42	54	L41 and L39	USPAT; EPO	OR	ON	2007/12/31 07:51
L43	36	L36 and (PTFE with (coating or coated))	USPAT; EPO	OR	ON	2007/12/31 07:51
L44	36	(pull with wire) with (PTFE or teflon)	USPAT; EPO	OR	ON	2007/12/31 07:51
L45	14	(pull with wire) same (PTFE with (coating or coated))	USPAT; EPO	OR	ON	2007/12/31 07:51
L46	28	L44 not L45	USPAT; EPO	OR	ON	2007/12/31 07:51
L47	2530	L38 and (liner or sleeve)	USPAT; EPO	OR	ON	2007/12/31 07:51
L48	231	L47 and lubricious	USPAT; EPO	OR	ON	2007/12/31 07:51
L49	24	L37 with (PTFE or teflon)	USPAT; EPO	OR	ON	2007/12/31 07:51
L50	4	L37 with (lubricious)	USPAT; EPO	OR	ON	2007/12/31 07:51

L51	17	(US-6355051-$ or US-6383205-$ or US-6542781-$ or US-6866677-$ or US-6579302-$ or US-5972019-$ or US-4719924-$ or US-6635068-$ or US-6706055-$ or US-6656203-$ or US-5002560-$ or US-6558401-$ or US-5814064-$ or US-6146396-$ or US-6277139-$).did. or (EP-1524005-$ or EP-1344502-$).did.	USPAT; EPO	OR	ON	2007/12/31 07:51
L52	17514	guidewire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L53	703652	filter or occlusive or occluder	USPAT; EPO	OR	ON	2007/12/31 07:51
L54	424	L52 with L53	USPAT; EPO	OR	ON	2007/12/31 07:51
L55	67	L54 and (rotatable or rotatably)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L56	67	L54 and (rotatable or rotatably)	USPAT; EPO	OR	ON	2007/12/31 07:51
L57	2	("5275583").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 07:51
L58	10273	pull adj wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L59	3519	wire with (PTFE or teflon)	USPAT; EPO	OR	ON	2007/12/31 07:51
L60	25150	core adj wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L61	9819	L60 or L58	USPAT; EPO	OR	ON	2007/12/31 07:51

L62	352	L61 and L59	USPAT; EPO	OR	ON	2007/12/31 07:51
L63	698513	filter or occluder	USPAT; EPO	OR	ON	2007/12/31 07:51
L64	54	L62 and L63	USPAT; EPO	OR	ON	2007/12/31 07:51
L65	14	(pull with wire) same (PTFE with (coating or coated))	USPAT; EPO	OR	ON	2007/12/31 07:51
L66	36	(pull with wire) with (PTFE or teflon)	USPAT; EPO	OR	ON	2007/12/31 07:51
L67	28	L66 not L65	USPAT; EPO	OR	ON	2007/12/31 07:51
L68	25150	core adj wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L69	17514	guidewire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L70	10273	pull adj wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L71	178	L69 with L70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L72	1432234	hollow or lumen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L73	25150	core adj wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51

L74	9127	L69 with L72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L75	979	L73 and L74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L76	1127	L75 or L71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L77	17514	guidewire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L78	670	L77 with L68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L79	670	L68 and L78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L80	703652	filter or occlusive or occluder	USPAT; EPO	OR	ON	2007/12/31 07:51
L81	424	L77 with L80	USPAT; EPO	OR	ON	2007/12/31 07:51
L82	1432234	hollow or lumen	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51

L83	9127	L77 with L82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L84	979	L68 and L83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L85	587	L84 or L79	USPAT; EPO	OR	ON	2007/12/31 07:51
L86	920	L85 or L81	USPAT; EPO	OR	ON	2007/12/31 07:51
L87	670	L69 with L73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L88	670	L73 and L87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L89	91	L85 and L81	USPAT; EPO	OR	ON	2007/12/31 07:51
L90	4	L58 with (lubricious)	USPAT; EPO	OR	ON	2007/12/31 07:51
L91	15	(US-4719924-$ or US-5002560-$ or US-6355051-$ or US-6542781-$ or US-6579302-$ or US-6656203-$ or US-6706055-$ or US-6866677-$ or US-5972019-$ or US-6383205-$ or US-6558401-$ or US-6635068-$).did. or (EP-1344502-$ or GB-2397530-$ or EP-1524005-$).did.	USPAT; EPO	OR	ON	2007/12/31 07:51
L92	1848	(606/200).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 07:51

L93	10273	pull adj wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L94	389	L92 and (L68 or L93)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L95	2530	L61 and (liner or sleeve)	USPAT; EPO	OR	ON	2007/12/31 07:51
L96	231	L95 and lubricious	USPAT; EPO	OR	ON	2007/12/31 07:51
L97	703652	filter or occlusive or occluder	USPAT; EPO	OR	ON	2007/12/31 07:51
L98	178	L77 with L93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L99	1127	L84 or L98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L100	17514	guidewire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L101	424	L100 with L97	USPAT; EPO	OR	ON	2007/12/31 07:51
L102	67	L101 and (rotatable or rotatably)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51

L103	450	L76 and (L69 with (bend or curv$4 or steer$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L104	17	(US-6355051-$ or US-6383205-$ or US-6542781-$ or US-6866677-$ or US-6579302-$ or US-5972019-$ or US-4719924-$ or US-6635068-$ or US-6706055-$ or US-6656203-$ or US-5002560-$ or US-6558401-$ or US-5814064-$ or US-6146396-$ or US-6277139-$).did. or (EP-1524005-$ or EP-1344502-$).did.	USPAT; EPO	OR	ON	2007/12/31 07:51
L105	24	L58 with (PTFE or teflon)	USPAT; EPO	OR	ON	2007/12/31 07:51
L106	541	L60 with (PTFE or lubricious or coated)	USPAT; EPO	OR	ON	2007/12/31 07:51
L107	36	L106 and (PTFE with (coating or coated))	USPAT; EPO	OR	ON	2007/12/31 07:51
L108	15	(US-4719924-$ or US-5002560-$ or US-6355051-$ or US-6542781-$ or US-6579302-$ or US-6656203-$ or US-6706055-$ or US-6866677-$ or US-5972019-$ or US-6383205-$ or US-6558401-$ or US-6635068-$).did. or (EP-1344502-$ or GB-2397530-$ or EP-1524005-$).did.	USPAT; EPO	OR	ON	2007/12/31 07:51
L109	1848	(606/200).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 07:51
L110	389	L109 and (L73 or L70)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:51
L111	450	L99 and (L77 with (bend or curv$4 or steer$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:53

EAST Search History

L112	2	("5275583").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/31 07:51
L113	15	(US-6355051-$ or US-6383205-$ or US-6542781-$ or US-6866677-$ or US-6579302-$ or US-5972019-$ or US-4719924-$ or US-6635068-$ or US-6706055-$ or US-6656203-$ or US-5002560-$ or US-6558401-$).did. or (EP-1524005-$ or GB-2397530-$ or EP-1344502-$).did.	USPAT; EPO	OR	ON	2007/12/31 07:51
L114	67	L101 and (rotatable or rotatably)	USPAT; EPO	OR	ON	2007/12/31 07:51
L115	24	dapolito.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:53
L116	108	dunfee.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:54
L117	14	116 and albert	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 07:54
L118	34	115 or 117	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/31 09:08

12/31/07 9:14:45 AM
C:\Documents and Settings\gdawson\My Documents\EAST\Workspaces\10685903bendableguidewireandexpandableoccluder.wsp

Page 12

EAST Search History

| L119 | 1 | (method or process) with ((guiding or steering or directing in inserting or introducing) with (guidewire)) and (hollow with (shaft or sleeve or tube)) and ((core with wire) with slid$4) and (protection or filter or occluder or occlusive) and (core with ((collaps$4 or reduc$4) with (protection or filter or occlusive or occluder))) and (core with ((deflect$4 or bend$4 or articulat$4) with (distal and (protection or filter or occlusive or occluder)))) and (rotat$4 with distal).clm. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/31 09:14 |

C:\Documents and Settings\gdawson\My Documents\EAST\Workspaces\10685903bendableguidewireandexpandableoccluder.wsp